

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant	: Douglas Spencer Millar
Appl. No.	: 10/561,029
Filed	: March 16, 2007
For	: METHODS FOR GENOME AMPLIFICATION
Examiner	: Thomas, David C.
Group Art Unit	: 1637

DECLARATION UNDER 37 C.F.R. §1.132

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

I, Dr. Douglas Spencer Millar, declare and state:

1. I am Chief Research Scientist at Human Genetic Signatures, Pty Ltd., the assignee of the above-referenced patent application and I am an inventor on the above-referenced patent application.

2. I am an expert in the field of DNA methylation and the treatment of nucleic acids by chemical modification with sodium bisulphite. My Curriculum Vitae is enclosed (Exhibit A).

3. I am an inventor of over 20 patents, have authored 20 peer reviewed scientific papers, have contributed to 2 book chapters and have presented at more than 15 scientific meetings.

4. I am familiar with the above-referenced application, pending claims and current Office Action. I understand that the claims were rejected as allegedly being obvious over Dean et al. (*Proc. Natl. Acad. Sci. USA* 99:5261-5266, 2002) in view of Berlin (US 7,008,770), and

Appl. No. : 10/561,029
Filed : March 16, 2007

further in view of Olek (*Nucl. Acids Res.* 24:5064-5066, 1996), with additional references cited for some of the dependent claims (Raizis et al. *Anal. Biochem.* 226:161-166, 1995; Christensen et al., US 2006/0014144; Hogrefe et al. (US 2002/0143577). I have reviewed the pending claims and these references, and herein describe experimental data supporting the unexpected results obtained using the claimed method.

5. This Declaration is being submitted to demonstrate that the claimed invention provides unexpected advantages over the methods disclosed in Dean et al, (*Proc. Natl. Acad. Sci. USA* 99:5261-5266, 2002) in view of Berlin (US 7,008,770), and further in view of Olek (*Nucl. Acids Res.* 24:5064-5066, 1996), with additional references cited for some of the dependent claims (Raizis et al. *Anal. Biochem.* 226:161-166, 1995; Christensen et al, US 2006/0014144; Hogrefe et al. (US 2002/0143577)

6. The presently claimed method relates to treatment of genomic DNA with an agent which modifies cytosine bases, but does not modify 5'-methyl-cytosine bases, prior to amplification. This treatment effectively modifies the whole genome of the organism being investigated so that all unmethylated cytosines are converted, via uracil, to thymine and thus the modified genome comprises predominantly only 3 bases (A, G and T) instead of the native 4 bases (A, C, G and T). Modifying the genome in such a manner can be particularly advantageous when examining the genome for methylation analysis, in which the only cytosines present in the modified genome are methylated cytosines.

7. The presently claimed method allows amplification of genomic DNA which has been treated with bisulphite, acetate or citrate without substantial DNA fragmentation. The presently claimed methods facilitate the generation of long amplification products, such as amplification products which are >20 kb in size, from the treated genomic DNA. In addition, the presently claimed method allows amplification of such treated DNA from as little as 10 cells that is particularly useful in areas such as embryonic research where very limited numbers of starting material is available for analysis. These features provide significant advantages over the methods disclosed in the cited references. In particular, because the presently claimed method permits the generation of long amplification products allowing the analysis of the amplified DNA in an

Appl. No. : 10/561,029
Filed : March 16, 2007

unbiased manner whereas the generation of smaller fragments can lead to biased amplification of regions generated from the same genomic loci of interest but not present on the same long DNA amplicon thus resulting in an incorrect estimate of regional methylation patterns, analyses or other subsequent procedures can be conducted with a reduced number of amplification reactions relative methods which are incapable of generating long amplification products. Biases after whole genome amplification on DNA using both Bst and phi29 polymerase (which generate long DNA amplicons) are well known in the field thus the fact that the present invention can use non-fragmented DNA leads to significant advantages over methods using fragmented DNA which would exaggerate amplification bias further. Further, biased amplification using bisulphite treated DNA has previously been shown to cause incorrect calling of methylation profiles (Wamecke PM, Strizaker C, Melki JR, Millar DS, Paul CL and Clark SJ (1997). Overcoming PCR bias in quantitative methylation analysis of bisulphite-treated DNA. *Nuc. Acids Res.* 25: 4422-4426.) thus whole genome amplification from short genomic fragments is unlikely to yield accurate quantitation of methylation levels. In addition, the claimed method allows amplification using samples containing very small amounts of nucleic acids, thereby permitting amplification in contexts where other techniques requiring higher amounts of nucleic acids in the samples would not yield results.

8. The presently claimed method provides advantages over the methods described in Dean et al. For example, in contrast to the present methods, which can, in some embodiments, be used to conduct methylation analyses, the method of Dean et al. cannot be used for methylation analysis, as there is no distinction between methylated and non-methylated cytosines.

9. The presently claimed method provides advantages over the methods described in Olek et al. In the method of Olek et al., DNA is sheared or digested prior to bisulphite treatment, resulting in amplification and analysis of relatively small (<2 kb) modified genomic DNA fragments reducing whole genome coverage within the same amplicon and leading to potential biased amplification. In contrast, the present method relates to treatment of whole, undigested or unsheread genomic DNA with a bisulphite, acetate or citrate modifying agent, which converts the unmethylated cytosine bases to thymines. Thus, the present method unexpectedly allows interrogation of whole chemically converted genomic DNA, and analysis of amplification products >20 kb in size. This provides a clear and useful advantage over and above the method of Olek et

Appl. No. : 10/561,029
Filed : March 16, 2007

al. by interrogating long genomic regions simultaneously to determine the methylation profiles of adjacent genes on the same amplicon.

10. The presently claimed method provides advantages over the methods described in Berlin. Berlin provides a method for performing complex PCR amplification following treatment of the genomic DNA with sodium bisulphite. The fact that in Berlin a minimum of 50 type 1 primers directed towards one strand of DNA is required to successfully amplify a large portion of the genome is further evidence that the methods used by Berlin result in fragmentation of the DNA and thus amplification of relatively small modified genomic DNA fragments again leading the inherent pitfalls of biases being generated in subsequent analysis.

11. The presently claimed method provides advantages over the methods described in Raizis. Raizis teaches a method for bisulphite treatment of DNA that minimizes template degradation, including reduction of the time required to achieve completion of the bisulphite reaction using higher concentrations of bisulphite, compared to traditional methods. Raizis demonstrates amplification of a minimum of 1 pg of plasmid DNA of 6930 bp in size (5790 bp for the PGL2-Promoter plasmid plus 1140 bp neomycin gene), which is equivalent to 1.34×10^5 copies of plasmid per PCR.. The inability of Raizis to amplify from less than 100,000 copies of plasmid indicates that their method results in a significant amount of DNA degradation. In contrast, the present invention unexpectedly allows PCR amplification of various genes from as little as 10 cells, which is a vast improvement over the method of Raizis, and indicates that the present method virtually eliminates template degradation which leads to the generation of large DNA fragments which can be analysed in a single amplicon increasing genome coverage and leading to a precise method for the analysis of methylation profiles on a genome wide scale which could not be achieved using conventional methodologies due to the limitations of amplification of short fragments that the present invention has overcome.

Appl. No. : 10/561,029
Filed : March 16, 2007

12. I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information or belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful statements may jeopardize the validity of the application or any patent issued thereon.



11th August 2009

By: _____

Date: _____

Dr. Douglas Spencer Millar

7442621
071009

EXHIBIT A

CURRICULUM VITAE

Name: Douglas Spencer Millar

Tertiary Qualifications

1990-1995: Ph.D. Molecular Microbiology, St George's Hospital Medical School, Department of Surgery, University of London. Ph.D. project: *Mycobacterium paratuberculosis*, mycobacteria and chronic enteritis in humans and animals.

1986-1987: Postgraduate training, Strathclyde University, Immunology Division, Department of Bioscience and Biotechnology, 31 Taylor Street, Glasgow.

1982-1986: B.Sc. (Hons. 2.1) in Applied Microbiology, Caledonian University, Cowcaddens Road, Glasgow, G4 OBA, Scotland. Honours Project: Bacterial populations associated with *Lemna minor*.

Research and Work Experience

2001-Present Human Genetic Signatures Riverside Corporate Park, Level 4, 11 Julius Avenue, Sydney, NSW 2113. Chief Research Scientist:

1995-2001: CSIRO Division of Molecular Science, 2 Richardson Place, Delhi Road, Sydney, NSW 2113. Senior Research Officer:

1990-1995: Ph.D., University of London. St George's Hospital Medical School, Department of Surgery, University of London.

Jan-July 1990: Kanematsu Laboratories, RPAH, Camperdown, NSW 2050. Research Assistant.

1987-1989: Wellcome Diagnostics, Langley Court, Beckenham, Kent, BR3 3BS
Senior Technician, Hepatitis and new technologies section.

Publications

Frommer M, McDonald C, Millar DS *et al* (1992). 5-Methylcytosine in the kininogen gene promoter revealed by a positive strand-specific reaction. *Proc.Nat.Acad.Sci., USA* 89: 1827-1831.

Millar DS, Withey SJ, Tizard MLV, Ford JG, Hermon-Taylor J (1995). Solid phase Hybridisation Capture of low abundance target DNA sequences: Application to the PCR detection of *Mycobacterium paratuberculosis* and *Mycobacterium avium* subsp.*silvaticum*. *Anal.Biochem.* 226: 325-330.

Millar DS, Ford JG, Sanderson J, Withey SJ, Tizard JLV, Doran T and Hermon-Taylor J. (1996). IS900 polymerase chain reaction for *M.paratuberculosis* applied to retail supplies of whole pasteurised cow's milk in England and Wales. *Applied and Environmental Microbiology*. 62(9): 3446-3452.

EXHIBIT A

- Doran TJ, Tizard MLV, **Millar DS**, Ford J, Sumar N, Loughlin M and Hermon-Taylor J (1997). IS900 targets translation initiation signals in *Mycobacterium avium* subsp. *paratuberculosis* to facilitate the expression of its *hcd* gene. *Microbiology* 143: 547-552.
- Strizaker, C, **Millar DS**, Paul CL, Warnecke PM, Harrison J, Dryja TP, Vincent PC, Frommer M and Clark SJ (1997). Extensive DNA methylation spanning the RB promoter in retinoblastoma Tumours. *Canc. Res.* 57: 2229-2237.
- Warnecke PM, Strizaker C, Melki JR, **Millar DS**, Paul CL and Clark SJ (1997). Overcoming PCR bias in quantitative methylation analysis of bisulphite-treated DNA. *Nuc. Acids Res.* 25: 4422-4426.
- Mark Tizard, Tim Bull, **Douglas Millar**, Tim Doran, Helene Martin, Jon Ford and John Hermon-Taylor (1998). A low G+C content element in *Mycobacterium avium* subsp. *paratuberculosis* and *M. avium* subsp. *silvaticum* with homologous genes in *M. tuberculosis*. *Microbiology*. 144 3413-3423.
- Millar, D. S.**, Ow, K., Paul, C. P., Russell P. J., Molloy, P.L., and Clark, S.J. (1999). Detailed methylation analysis of the Glutathione S-transferase (GST-P1) gene in prostate cancer. *Oncogene*. 18(6): 1313-24.
- Molloy, P.L., **Douglas Millar**, Pamela Russell and Susan Clark. Prostate Cancer DNA Methylation Assay. *Today's Life Sciences* (October 1999).
- Marsh I, Whittington R, **Millar D** (2000) Quality control and optimized procedure of hybridization capture-PCR for the identification of *mycobacterium avium* subsp. *paratuberculosis* in faeces. *Mol Cell Probes*. Aug;14(4):219-32.
- Jackson P, **Millar D**, Kingsley E, Yardley G, Ow K, Clark S, Russell PJ. (2000) Methylation of a CpG island within the promoter region of the KAI1 metastasis suppressor gene is not responsible for down-regulation of KAI1 expression in invasive cancers or cancer cell lines. *Cancer Lett*; 157(2):169-76.
- Millar DS**, Paul CL, Molloy PL, Clark SJ. (2000). A distinct sequence (ATAAA)_n separates methylated and unmethylated domains at the 5'-end of the GSTP1 CpG island. *J Biol Chem*; 275(32):24893-9.
- Paul Jackson, **Douglas Millar**, Elizabeth Kingsley, Gina Yardley, Kim Ow, Susan Clark, Pamela J Russell (2000). Methylation of a CpG island within the KAI1 promoter region is not responsible for reduced KAI1 mRNA expression in invasive bladder cancer cell lines. *Cancer Letters* 157: 169-176.
- Marsh, I., Whittington R and **Douglas Millar** (2000). Quality control and optimised procedure of hybridisation capture-PCR, for the identification of *Mycobacterium avium* subsp. *paratuberculosis* in faeces. *Mol. Cell Probes* 14(4): 219-32.
- Welch J, **Millar D**, Goldman A, Heenan P, Stark M, Eldon M, Clark S, Martin NG, Hayward NK (2001). Lack of genetic and epigenetic changes in CDKN2A in melanocytic nevi. *J Invest Dermatol*. Aug;117(2):383-4.
- Chetcuti A, Margan SH, Russell P, Mann S, **Millar DS**, Clark SJ, Rogers J, Handelsman DJ, Dong Q (2001). Loss of annexin II heavy and light chains in prostate cancer and its precursors. *Cancer Res.* Sep 1;61(17):6331-4.

EXHIBIT A

Schmitt JF, Millar DS, Pedersen JS, Clark SL, Venter DJ, Frydenberg M, Molloy PL, Risbridger GP (2002). Hypermethylation of the inhibin alpha-subunit gene in prostate carcinoma. *Mol Endocrinol.* Feb;16(2):213-20.

Millar DS, Warnecke PM, Melki JR, Clark SJ. (2002) Methylation sequencing from limiting DNA: embryonic, fixed, and microdissected cells. *Methods.* Jun;27(2):108-13.

Clark SJ, Millar DS, Molloy P. (2003) Bisulfite methylation analysis of tumor suppressor genes in prostate cancer from fresh and archival tissue samples. *Methods Mol Med.*;81:219-40.

Cristina Baleriola, Douglas Millar, John Melki, Neralie Coulston, Phillip Altman, Nikolas Rismanto and William Rawlinson. (2007) Comparison of a novel HPV test with the Hybrid Capture II (hcII) and a reference PCR method shows high specificity and positive predictive value for 13 high-risk human papillomavirus infections. Submitted *J. Clin. Virol*

Book Chapters

Douglas S Millar, Robin Holliday and Geoffrey W Grigg (2003). History and significance of the 5th base. in: *The Epigenome*, S Beck and A Olek (eds), 1-18, Wiley.

Hermion-Taylor J, Tizard ML, Sanderson J, Kempell K, Sumar N, Millar DS, Loughlin M, Ford J, Withey S. (1994) Mycobacteria and the etiology of Crohn's disease. In: Rachmilewitz D (ed). *Inflammatory Bowel Diseases*. London: Kluwer Academic Publishers, 51-57.

Patents

Novel polynucleotides and polypeptides in pathogenic mycobacteria and their use as diagnostics, vaccines and targets for chemotherapy. Great Britain Patent number PCT/GB96/03221, filed June 19 1998. Inventors John Hermion-Taylor, Mark Tizard, Mark Loughlin, Nazira Sumar, John Ford, Tim Doran and Douglas Millar.

Diagnostic Assay (Detection of methylated GST-P1 gene in prostate cancer). Australian Provisional application PP3129, filed April 1998. Inventors DS Millar, PL Molloy & SJ Clark.

Sandwich PNA Assay for detection of nucleic acid sequences. Australian Provisional application. filed September 2000. Inventors DS Millar, PL Molloy & Griggs GW (2000).

Restoration of Methylation States in Cells. PCT Application No PCT/AU2003/001573 Priority Date 26 November 2002. International Filing Date 26 November 2003 Inventors Douglas Millar, John Melki, Geoffrey Grigg, George Miklos

Treatment of Methylated Nucleic Acid. US Patent Application No 10/428310 Filing Date 2 May 2003. PCT Application No PCT/AU2004/000549 Priority Date 2 May 2003. International Filing Date 29 April 2004 Inventors Douglas Millar, Cassandra Vockler, Keralie Coulston.

Methods for Genome Amplification. PCT Application No PCT/AU2004/000722 Priority Date 17 June 2003. International Filing Date 31 May 2004. Inventors Douglas Millar

EXHIBIT A

Nucleic Acid Detection Assay. PCT Application No PCT/AU2004/0001196
Priority Date 4 September 2003. International Filing Date 3 September 2004
Inventors **Douglas Millar**, John Melki, George Miklos.

Assay for Detecting Methylation Changes in Nucleic Acids using an Intercalating
Nucleic Acid. PCT Application No PCT/AU2004/000083. Priority Date 24 January 2004
International Filing Date 23 January 2004. Inventors **Douglas Millar**, John Melki, Geoffrey
Grigg, George Miklos

Amplification Blocker. PCT Application No PCT/AU2005/001374
Priority Date 10 September 2004. International Filing Date 9 September 2005
Inventor **Douglas Millar**.

Detection of Microorganisms. AU Provisional Application No 2004906915
Filing Date 3 December 2004. Completion Date 3 December 2005.
Inventor **Douglas Millar**.

Detection of Human Papilloma Virus. US Provisional Application No 60/638625
Filing Date 23 December 2004. Completion Date 23 December 2005
Inventors **Douglas Millar**, George Miklos, John Melki.

Isothermal Amplification. US Provisional Application No 60/685697
Filing Date 26 May 2005. Completion Date 26 May 2006
Inventors **Douglas Millar**, Geoffrey Grigg.

Assay for a Health State. US Provisional Application No 60/717148
Filing Date 14 September 2005. Completion Date 14 September 2006
Inventors **Douglas Millar**, John Melki

Modified microbial nucleic acid. PCT Application No PCT/AU2006/000755 Filed 2 June 2006
Inventors **Douglas Millar**, John Melki

Assay for Gene Expression. AU Provisional Application No 2007901397 Filed 16th March 2007
Inventors **Douglas Millar**, Geoffrey Grigg

Enzymes for Amplification and Copying Nucleic Acids. Filed 30th October 2007
WO2009/067743
Inventors **Douglas Millar**, Geoffrey Grigg

Elimination Of Contaminants Associated With Nucleic Acid Amplification . Publication number:
WO2009079703 (A1). Publication date: 2009-07-02
Inventors: **Douglas Spencer Millar**

Bisulphite Treatment of RNA. Publication Number: WO2009070843 (A1)
Publication Date: 2009-06-11
Inventors: **Douglas Spencer Millar**; Melki John R

Detection of Hepatitis C Virus
Australian PCT Filed 23 April 2009.
Inventor(s): **Douglas Spencer Millar**; Bouter Nicola

EXHIBIT A

Detection of methicillin-resistant *Staphylococcus aureus* (MRSA)

US PCT Filed 20 April 2009.

Inventor(s): **Douglas Spencer Millar**; Inman Clare, Melki John R

Oral Presentations

Millar DS, Ford JG, Sanderson J, Withey SJ, Tizard MLV, Doran T and Hermon-Taylor J. 1994. 4th International Colloquium on Paratuberculosis. Cambridge, UK.

"IS900 polymerase chain reaction for *M.paratuberculosis* applied to retail supplies of whole pasteurised cows milk in England and Wales."

Doug Millar. CSIRO Molecular Science, Sydney. Nov. 1995. "*Mycobacterium paratuberculosis* and chronic enteritis in humans and animals.

Doran TJ, Tizard MLV, **Millar DS**, Ford J, Sumar N, Loughlin M and Hermon-Taylor J (1997). 4th Australian conference on molecular analysis of bacterial pathogens. Jamberoo Valley Lodge, NSW. June 1-4. 1997. IS900 targets translation initiation signals in *Mycobacterium avium* subsp. *paratuberculosis* to facilitate the expression of its *hed* gene.

Doug Millar, Peter Molloy, Pam Russell and Susan Clark. International Hormone Responsive Cancers Meeting, Adelaide in Feb, 1997. "Analysis of methylation patterns of the GST- π gene promoter in Prostate Cancer".

Doug Millar, Peter Molloy, Pam Russell and Susan Clark 1998. Wilhelm Symposium on Prostate Cancer, Australasian Society For Experimental Pathology, University of Sydney, October 1st, 1998. "DNA methylation and Prostate cancer."

Doug Millar, Peter Molloy and Susan Clark. Johnston & Johnston Research Laboratories, Rushcutters Bay, Sydney, March 1999. "Methylation and Prostate Cancer-MSP PCR as a new diagnostic tool for the early detection of cancer".

Douglas S Millar, John R Melki and Geoffrey W Grigg. RNA Methylation. Epigenetics Australian Scientific Conference, 2007 Perth, 4 - 7 November

Poster Presentations

Withey S, **Millar DS**, Tizard M et al (1993). Analysis of DNA extracts of normal and diseased intestine using PCR for the 32kDa general Mycobacterial antigen. United European Gastroenterology week, Barcelona 1993.

Millar DS, Withey SJ, Tizard MLV, Ford JG, Hermon-Taylor J. Solid phase Hybridisation Capture of low abundance target DNA sequences: Application to the PCR detection of *Mycobacterium paratuberculosis* and *Mycobacterium avium* subsp. *silvaticum* 1994. 4th International Colloquium on Paratuberculosis. Cambridge, UK.

D. Millar, C. Paul, C. Stirzaker and S.J. Clark 1996. DNA Methylation Of The Retinoblastoma Gene. *The Organisation and Expression of the Genome*, 18th Annual Genome Conference, Lorne, Vic.

Clare Stirzaker, **Doug Millar** and Susan Clark. FASEB conference on biological methylation in Vermont, USA, in June 14-19, 1997. "Extensive DNA Methylation Spanning The Rb Promoter In Retinoblastoma Tumors".

Susan Clark, Clare Stirzaker and **Doug Millar**. FASEB conference on biological methylation in Vermont, USA, in June 14-19, 1997. "DNA Methylation in Tumour Suppressor Genes Provides a Clue".

Doug Millar, Peter Molloy and Susan Clark. Inaugural National Meeting of the Genito Urinary Oncology Group in Leura, NSW in July 25-27 1997. "Extensive Methylation Of GST-Pi in Prostate Cancer"

Doug Millar, Peter Molloy and Susan Clark. Inaugural Marie Curie workshop on DNA methylation and Epigenetics. Paris, France. November 1998. "Methylation Of GST-Pi gene in Prostate Cancer".

D. S. Millar, C. J. Vockler, J. R. Melki. The Application of a Novel DNA Simplification Approach for the Universal Detection and Subtyping of Gram Positive Bacteria. 2007, ECCMID Munich, 31 March to 3 April

N.A. Coulston, S.P. Siah, **D.S. Millar**. Specific Detection of High-Risk HPV Genotypes Using a Novel DNA Simplification Strategy. American Society for Microbiology, 2007, Toronto, 21-25 May

Cassandra Vockler and **Douglas Millar**. Methylation profiling of embryonic and adult stem cells. 2007, ISSCR, Cairns, 17-20 June.

Shoo Peng Siah and **Douglas Millar**. Detection of Human Papillomavirus in archival tissue sample. Australian Society for Microbiology, 2007, Adelaide, 9-13 July 2007

Prizes and Awards

Withey S, Millar DS, Tizard M et al (1993). Analysis of DNA extracts of normal and diseased intestine using PCR for the 32kDa general Mycobacterial antigen. Prize winning poster at the United European Gastroenterology week, Barcelona 1993.

References

Dr Susan Clark
Senior Research Fellow
The Garvan Institute for Medical Research
384 Victoria Street,
Darlinghurst
Sydney
NSW 2010
Australia
Telephone: (02) 9490 5148
Email: susan.clark@molsci.csiro.au

Professor John Hermon-Taylor
St George's Hospital Medical School
Jenner Wing
Cranmer Terrace
Tooting
London SW17 0RE
England
Telephone: (0181) 725 5585
Email: jhermon-taylor@sghms.ac.uk